INDEX TO VOLUME 27

New species in **blackface type**

AUTHOR AND SUBJECT INDEX

Prepared by FREDERICK V. RAND

Office of Experiment Stations, U. S. Department of Agriculture

Abaca, heart rot, etiology, 853
Abies, rehmiellopsis bohemica twig blight, distribution and new hosts, 734
  species resistant to, 736
  wetwood bacterial disease of, 126
  balsamea, Cephalosporium canker, 788
Accessory growth substances (See Growth, accelerators), 134
Acer, rot-inducing fungi on spp. of, culture necessary for identification, 127
  rubrum, Xylaria polymorpha black zone in, anatomy, 1177
Acrobeles bütschlii, cotton infestation, 571
Actinomyces, isolation, from scabbed potatoes *vs.* soil, 141
  of single hyphal tips, technique, 1182
  scabies, control by Bordeaux mixture, 1032
ADAMS, J. F., 656
Adjuvants, sprays containing, copper content of residues from, 957
Aeciospores, Cronartium ribicola, germination temperatures, 104
AFANASIEV, M. M., 1182
Agar plates, pouring and washing apparatus, 121
Age, of host, effect on rust infection, 1099
Agropyron, Puccinia graminis susceptibility of species and varieties, 1028
AHRENS, W. E., 121
Alfalfa, dwarf disease, insect transmission, 697
  floral injury, heat and drought in relation to, 729
  foliage yellowing, heat and drought in relation to, 729
  mosaic, relation to pea streak, 144
  virus-2, on legumes in Idaho, 837, 840, 841
  virus diseases in Idaho, 840
Alsike clover (See Trifolium hybridum)
Alternaria, blue stain of cotton fibers by, 137
  flax seedling infection by, 539
  citri, leaf spot of rough lemon due to strain, 863
  tenuis, on Clarkia elegans, 952
Amaryllidaceae, bulb treatments for, 143
American Phytopathological Society, report of 28th annual meeting, 646
  Pacific Division, report of 21st annual meeting, 953
ANDERSON, H. W. (H. H. THORNBERRY and), 109, 946
  K. J. KADOW, and S. L. HOPPERSTEAD, 575
Anguillulina dipsaci, factors influencing infestations, 683
  host and plant-part transfer tests, 673
  measurement statistics, 669
  numbers and distribution in sweet-potato tubers, 671
  strains from different hosts compared, 687
  sweet-potato infestation, 667
  variability, 685
Angular leaf spot, cotton, sulphuric acid seed treatment for, 122
  tobacco, wildfire compared, 283
Annona, Phytophthora susceptibility, 1107
Antagonisms, among fungi, 1175
  Taxonomic relationships and, 1176
Antiseptics, for bulb and corm treatment, 143
Aphelenchoides parietinus, cotton infestation, 571
Aphelenchus avenae, cotton infestation, 571
Aphid, pea-, as vector of vein-mosaic virus of red clover, 1052, 1055
Aphis rumicis, as pea-mosaic vector, 589
Aplanobacter (See Bacterium; Pseudomonas; Phytomonas)
Apple, Bordeaux injury, reduction, 126
  dieback, 123
  fire blight on, number of bacteria for infection, 851
  frog-eye leaf spot *vs.* fruit rot by Physalospora, obtusa, 804, 819
  Physalospora obtusa infection in, strains compared and factors influencing, 803
  varietal susceptibility, 816
  physiogenic diseases, boric-acid therapy, 123
  symptoms and terminology, 123
  rot, fungus association in, 126
  scab, control, 129
  eradicant fungicidal methods, 133
  spongy dry rot, environal effects, 203
  spray injury, factors in, 139
  spraying, for scab plus fire blight, 133

ARK, P. A., 1
ARMSTRONG, G. M., 659
ARNDT, C. H., and J. R. CHRISTIE, 569
Arsenic trioxide, effect on fungus wood decay, 783
Ascomycetes, "spore mats" of Phymatotrichum in relation to, 588
Ascorbic acid, tobacco-mosaic virus inactivation by, 134
Aspergillus, species on Clarkia elegans, 952
Associations, fungus, in apple rot, 126
Aster, China (See China aster)
Aucuba mosaic, effect on Turkish tobacco, 1152
Auxins (See also Growth-accelerators)
  book review, 117
Avena, Puccinia graminis susceptibility of spp., 1028

Bacillus (See also Erwinia)
Bacteria, bacteriophage relations of phytopathogenic, 871
Bacteria, media for, variable properties of potato in, 865
  phytopathogenic, as influenced by genetic constitution of hosts, 1070
    serological differentiation, 572
    virulence variations, and factors influencing in Phytomonas stewartii, 1161, 1166–1169
      in relation to cultural characters in P. stewartii, 1169
    taxonomy, Phytomonas genus name previously used for protozoan group, 1181
  virus inactivation by, 1014
  wetwood disease of trees due to, 126
Bacteriophage(s), for pathogenic bacteria, review, 872
  for Pseudomonas tumefaciens, isolation and location in plant, 875, 889
    properties, 871
    purification, 883
Bacterium (See also Pseudomonas; Phytomonas)
  angulatum, comparison to Bact. tabacum, 283
  solanacearum, hosts, as shown by inoculation *vs.* spontaneous infection, 140
  stewarti, pathogenic variants, isolation from pure cultures, 135
    cell changes and pathogenesis in "halo" *vs.* "epidemic" forms of infection, 792
    comparison to Bact. angulatum, 283
  tardicrescens n. sp., Iris leaf disease due to, 135
    (= Phytomonas t.), 620
  tabacum (See also Wildfire)
  tumefaciens (See also Crown gall)
    infections on Nicotiana spp. compared, 134
    secondary gall formation by, mechanism, 1113
Balsam fir (See Abies balsamea), 788
Banana, heart rot, etiology, 853
BANFIELD, W. M., 121
Barley, black loose smut, seed inoculation method, 115
  covered smut, seasonal cycle, 141
  Erysiphe graminis hordei on, effects of physiologic races, 51
  inheritance of resistance to, 60
  resistance inheritance to new form, 141
  varietal reactions to new forms, 142
  Gibberella saubinetii viability in kernels and relation to emetic effects, 751, 755, 758, 759
  Puccinia graminis susceptibility of spp. of, 1028
BARSS, HOWARD P., 648, 655, 657, 865
BEALE, HELEN PURDY, 122
Bean, galls of secondary type induced by indoleacetic acid in, 1107
  garden-, rust resistance in, 1090
  -virus-1, on legumes in Idaho, 841, 843
  -virus-2, on legumes in Idaho, 837, 840, 841, 842
  virus diseases in Idaho, 841
BEATTIE, R. KENT, 122
BEAUMONT, J. H. (E. S. SCHULTZ, C. F. CLARK, W. P. RALEIGH, F. J. STEVENSON, R. BONDE and) 190
BEDWELL, J. L., 1143
BEECHER, F. S. (S. P. DOOLITTLE and), 800
Beet (See also Sugar beet), 126
  savoy disease, virus-induced and insect-transmitted, 125
Benzol, tobacco downy mildew control by vapor of, 982
Biographies and necrologies, Hawkins, Stacy Otto, 1123
  Hoggan, Ismé Aldyth, 664, 1029
Birch, rot-inducing fungi, culture necessary for identification, 127
BITANCOURT, A. A. (A. E. JENKINS and) 954
Blackberry, leaf spot, Septoria, 1004
"Black-chaff," false, of Hope and H-44 wheats, Puccinia graminis tritici causing, 801
"Blackheart," potato, enzyme depletion in relation to, 992
Black locust tree, Phytophthora on, 128
Black-ring, virosis of crucifers, etc., 955
Black rot, apple, by Physalospora obtusa, 819
  Black rot, apple, by Physalospora obtusa, strains compared, 819
Bladder cells, pseudosclerotium of Xylaria polymorpha formed by, 1177, 1179
BLAISDELL, DOROTHY J. (R. W. DAVIDSON, W. A. CAMPBELL and), 127

Blight, Asiatic chestnuts, twig, 1143
fir twig, distribution and new hosts, 734
iris bacterial, 613
phlox, chlorosis in relation to, 143
potato late, breeding for resistance to, 211, 1059
red clover seedling, 913
wheat Sclerotium fulvum, symptoms, destructiveness, hosts and factors influencing, 1113
Blooming, as influenced by pyrethrum dust, on potato, 112
Blossom-end rot, tomato, environal factors in, 128
Blue stain, cotton-fiber fungus-induced, 137
BODINE, E. W., 954
BONDE, REINER, 106
(F. J. STEVENSON, E. S. SCHULTZ, C. F. CLARK, L. CASH and), 1059
(E. S. SCHULTZ, C. F. CLARK, W. P. RALEIGH, F. J. STEVENSON, ——, and J. H. BEAUMONT), 190
Book reviews (See under Reviews)
Bordeaux mixture, effect on potato yield, tuber composition and scab control, 1032
injury, reduction, 126
Boric acid, physiogenic apple-disease therapy by, 123
Botrytis cinerea, on Clarkia elegans, 952
BOYSEN JENSEN, P., 117
Brassica, black-ring virosis on spp. of, 956
BRAUN, ARMIN C., 283
BRAUN, HANS, 1184
Breeding, for disease resistance, 61, 129, 131, 141, 183, 190, 191, 192, 193, 195, 196, 211, 801, 861, 1059
progress in, 622
BRIGGS, FRED N. (G. A. WIEBE and), 313
Broccoli, mosaic, increased severity, 142
Bromus anomalus, Puccinia graminis susceptibility, 1028
BROWN, J. G., 122, 1045
NELLIE A., and F. E. GARDNER, 1110
Brownpatch, of turf, control by aniline dyes, 136
BUCHHOLTZ, W. F., 1180
Bulbs, rot of onion (See Fusarium zonatum), 769
flowering, antiseptic and disinfectant treatments, 143
Bunch disease, pecan, general study, 125, 604
transmission, 125, 610
Bunt, wheat, control by copper-lime-arsenite dusts, 138
resistance degree essential, 313
BURKHOLDER, WALTER H., 554, 572, 613
BURRELL, A. B., 123
and H. J. MILLER, 123

Cabbage, black-ring virosis, 955
lightning injury, 858
mosaic, increased severity, 142
Calcium, in white pine metabolism, as affected by Polyporus schweinitzii, 1134
Calcium cyanamide, in club-root control, 130
Calendula, Cercospora leaf spot of spp. of, 130
officinalis, Sclerotinia sclerotiorum on, 100
Callistephus chinensis, Fusarium wilt, histopathology, 737
nature of resistance to, 747
CAMPBELL, W. A. (R. W. DAVIDSON, ——, and D. J. BLAISDELL), 127
Cancers, plant (See Crown gall)
Canker, balsam-fir, Cephalosporium causing, 788
late root rot, Rhizoctonia solani causing in sugar beets, 1180
Capsicum frutescens, tobacco mosaic in, resistance inheritance, 637
Carbohydrates, Diplodia spp. utilization of, 1119
Psyllid yellows of potato in relation to, 956
Carbon, in metabolism of cotton root-rot fungus, 918
sources for Diplodia spp., 1119
CARPENTER, J. B. (G. W. KEITT and), 133
Carriers (See also Insects as vectors)
peach mosaic, by Maynard plum, 954
CARTER, J. C., 123
WALTER, 971
Carya (See also Hicoria)
Phytophthora susceptibility, 1107
CASH, LILLIAN (F. J. STEVENSON, E. S. SCHULTZ, C. F. CLARK, ——, and R. BONDE), 1059
Castanea, breeding disease-resistant, 129
Phytophthora susceptibility, 1107
crenata, twig blight, general study, 1143
japonica, twig blight, general study, 1143
mollissima, twig blight, general study, 1143
Cauliflower, mosaic, increased severity, 142
Cedar, incense, crown gall on, 844
Cedrus, Phytophthora susceptibility, 1107
Cephalobus elongatus, cotton infestation, 571
Cephalosporium, canker of balsam fir due to, 788
Ceratonia, Phytophthora susceptibility, 1107
Ceratostomella ulmi, incidence, European, 122
infection by, injuries as factors in, 140
pathogenicity of brown variant, 142
spore distribution in elm sap stream, 121
Cercospora calendulae, leaf spot of Calendula due to, 130
oryzae, on rice, control by resistant varieties, 1007, 1008
on rice, U. S. A., 1005
puderii n. sp., on rose

rosae, comparisons, 127
rosicola, as imperfect stage of Mycosphaerella rosicola, 127
rose leaf spot due to, 127
Cercosporella persica, morphology and life cycle, 692
Mycosphaerella persica as perfect stage, 695
Cereals (See also Wheat, etc.)
leaves attacked by Rhizoctonia, 799
Ceresan, in seed germination tests, 797
New Improved, in seed germination tests, 797
Chaetochloa italica (See also Setaria italica), 311
Chamaecyparis, nonsusceptibility to Phytophthora, 1107
Chenopodium, black-ring virosis on spp. of, 956
Sclerotium fulvum developing saprophytically on stems, 1118
CHESTER, FREDERICK D., 855
K. STARR, 124, 722, 903
breeding disease-resistant, 129
Asiatic species, twig blight, general study, 1143
Phomopsis-induced, 1143
CHILDS, THOMAS W., 29
China aster, Fusarium wilt, histopathology, 737
host-parasite relations, 741, 744, 746
nature of resistance to, 747
Chinese radish, black-ring virosis, 956
Chloroform, toxic substances isolated from fungi by, 1175
Chlorosis, grapefruit, alkaline soils associated in Puerto Rico, 731
control in Puerto Rico, by zinc sulphate sprays, 731
in Puerto Rico, comparisons, 731
phlox noninfectious, blight in relation to, 143
CHRISTENSEN, CLYDE M., 788
CHRISTIE, J. R. (C. H. ARNDT and), 569
Chrysanthemum cinerariaefolium, Sclerotinia sclerotiorum parasitizing, 124
CHUPP, CHAS., 658
Cichorium intybus, leaf spot due to Phytomonas cichorii on, 948
Cinephotomicrography, motility of inclusion bodies shown by, 130
Citromyces griseus, on Clarkia elegans, 952
Citrus, chlorosis, alkaline soils associated in Puerto Rico, 731
control in Puerto Rico by zinc sulphate sprays, 731
in Puerto Rico, comparisons, 731
Phytophthora susceptibility, 1107
scab, mycological history of causal fungus, 954
limonia, leaf spot due to Alternaria citri strain, 863
Cladosporium, relationship to Elsinoë fawcetti, 954
elegans, on Clarkia elegans, 952
paeoniae, peony leaf blotch due to, general study, 172
CLARK, C. F. (F. J. STEVENSON, E. S. SCHULTZ, ——, L. CASH, and R. BONDE, 1059
(E. S. SCHULTZ, ——, W. P. RALEIGH, F. J. STEVENSON, R. BONDE, and J. H. BEAUMONT), 190
Clarkia elegans, fungus diseases of, 951
CLAYTON, E. E., 124
Clovers (See Trifolium, etc.)
Club root, crucifer, control, 130
COCHRAN, L. C., and L. M. HUTCHINS, 954
COFFMAN, F. A. (H. B. HUMPHREY and), 183
COLE, J. R., 125, 604
Colletotrichum fructus, apple spongy dry rot due to, environal effects, 203
setose acervuli, 204
Conifers, crown gall on, 844
damping-off, control, 144
COOK, HAROLD T., 124
MELVILLE, T., 125
COONS, G. H., 622
J. E. KOTILA, and DEWEY STEWART, 125
Copper, fungicides, effect on tomato ripening, 132
,-lime-arsenite dusts, for wheat bunt, 138
,-oxalate, in seed germination tests, 798
,-phosphate, spray mixtures containing, 959
in spray residues from adjuvant-containing fungicides, 957
,-sulphate, effect on fungus wood decay, 786
Cork, apple, borie-acid therapy, 123
symptoms and relationships, 123
Corms, flowering, antiseptic and disinfectant treatments, 143
Corn (See Maize)
Corticium fuciforme, turf disease due to, control and factors influencing, 128
lividum, oak rot due to, 127
Corylus colurna, leaf-spot due to Phytomonas colurnae on, 948
Cotton, Aerobeles bütschlii infesting, 471
angular leaf spot, sulphuric acid seed treatment for, 122
Aphelenchoides parietinus infestation, 571
Aphelenchus avenae infestation, 571
blue-stain of fibers, fungus-induced, 137
Cephalobus elongatus infestation, 571
crinkle leaf as new disease of, 1171
damping off, fungus *vs.* nematode rôle in, 569
mosaic-like disorder, 136
Phymatotrichum omnivorum, carbon and oxygen requirements, 918

control, 956
invasion of roots in culture, 143
significance of spore mats, 588
seed, linted *vs.* delinted, 122
soreshin, fungus, *vs.* nematode rôle in, 569
CRANDALL, BOWEN, S., C. HARTLEY, and R. W. DAVIDSON, 126
Crinkle leaf, cotton, comparisons with other diseases, 1172, 1175
distribution, 1171
as new disease, 1171
soil relations, 1171, 1175
transmission tests, 1173
varietal diffrences in susceptibility negative, 1171
Cronartium ribicola, aeciospores, germination temperatures, 104
Ribes infection by aeciospores, temperature relations, 104
Crops, diseases of, control by resistant varieties, progress in, 622
yields, as influenced by diseases, 159
CROSIER, W. F., S. R. PATRICK, and M. T. MUNN, 867
WILLARD, S. PATRICK, and L. TAYLOR, 797
Crown gall (See also Bacterium tumefaciens; Phytomonas t.; Pseudomonas t.; Galls)
bacteriophage in relation to, 871
on conifers, 844
growth hormone in, 134
enzymes of normal tissue *vs.*, 136
on marguerite, bacteriophage from, 890
on Nicotiana spp., 134
primary *vs.* secondary overgrowths compared with those in animal tumors, 1113
on Schinus molle, 847
secondary-gall formation, mechanism, 1113
spontaneous "tumors" on Nicotiana hybrid compared, 134
on sugar beet, bacteriophage from 890
on tomato, bacteriophage from, 890
Crucifers, black-ring virosis of, 955
Plasmodiophora infection, control, 130
resistance as influenced by mustard oil, 142
Cucumber, fruit rot due to Phytophthora capsici(?), 955
mosaic, lily mosaic related, 138
lily virus causing, 564
lily infection by, 562
in Puerto Rico, 125
yellow and green, effect on Turkish tobacco, 1152
viruses of, classification, by serological reaction, 903, 905
Culture media (See under Technique)
CUNNINGHAM, C. H. (J. G. HORSFALL, R. O. MAGIE and), 132
Cupressus, nonsusceptibility to Phytophthora spp., 1107
sempervirens, crown gall on, 847
Cuprous oxide(s), in seed germination tests, 798
Cuprous oxides, in seed therapy, for damping off by, 575
specifications and precautions, 586, 587
Curly top, beet, savoy compared, 125
sugar-beet, on legumes in Idaho, 841, 843
resistance to, greenhouse test for, 773
Cydonia, Phytophthora susceptibility, 1107
Cytoplasm, inclusions, Stanley's crystalline mosaic virus in relation to, 122
Cytospora, on Asiatic chestnuts, 1144

D'AETH, H. R. X., 126
DAINES, ROBERT H., and W. H. MARTIN, 126
Dames violet, black-ring virosis on, 956
Damping off, conifer, control, 144
cotton fungus *vs.* nematode rôle in, 569
flax, fungi involved, 536, 539
mushroom, Fusarium spp., causing, 85
in sand culture, seed treatments for, 128
seed therapy, cuprous oxides for, 575
sugar beet, experimental designs compared for study of, 942
Rhizoctonia causing, 955
tree nursery, 144
as influenced by pH, 144
DARKIS, F. R. (R. MCLEAN, F. A. WOLF, —, and P. M. GROSS), 982
DAS GUPTA, S. N., 736
DAVEY, A. E., 126
DAVIDSON, ROSS, W. (G. H. HEPTING and), 305
W. A. CAMPBELL, and D. J. BLAISDELL, 127
(B. S. CRANDALL, C. HARTLEY and), 126
DAVIS, B. H., 127
GLEN N., and W. J. HENDERSON, 763
W. C., D. H. LATHAN, and G. Y. YOUNG, 127
(G. Y. YOUNG, ——, and D. H. LATHAM), 144
Death point, thermal (See Thermal death point)
Decay (See Rots)
Deficiency diseases, of forest nurseries, 128
Delphinium ajacis, stem rot due to Erwinia phytophthora, 855
Deschampsia atropurpurea, Puccinia graminis susceptibility, 1028
Dewberry, leaf spot, Septoria, 1001
DIACHUN, STEPHEN, 203
Didymellina poecilospora n. sp., bulbous iris semiparasitized by, 135
Dieback, apple, boric-acid therapy, 123
symptoms and relationships, 123
Dioscoria, nematode infestation of spp. of, 865

Diospyros kaki, crown gall on, 847
Phytophthora susceptibility, 1107
Diplodia, on Asiatic chestnuts, 1144
macrospora, carbohydrate utilization, 1119
zeae, carbohydrate utilization, 1119
Diplodina, on Asiatic chestnuts, 1144
Diseases, control by resistant varieties, progress in, 622
effect on crop yields, 159
insect vectors, reference collections, 198
resistance to, evolutionary relations, 629
resistance to, inheritance, 637
resistance to, nature, 631
review of book on, plant hygiene, 1184
Diseases, review of book on, 1184
Disinfectants, for bulb and corm treatments, 143
for nematode infestation, 679
Dissociation, microbic, 15
in Erwinia amylovora, 17
Ditylenchus dipsaci (See Anguillulina dipsaci)
DOOLITTLE, S. P., and F. S. BEECHER, 800
Dothiorella, on Asiatic chestnuts, 1151
Downy mildew, hop, fungicides for, 931
onion, fungicides for, 931
tobacco, control in beds, 124
control by vapors of organic substances, 982
histology of infection and sporulation, 131
Drought, alfalfa foliage yellowing and floral injury in relation to, 729
forest nurseries injured by, 127
spot, apple, boric-acid therapy, 123
symptoms and relationships, 123
DUFRENOY, JEAN, 792
DUGGAR, B. M. (S. B. LOCKE, A. J. RIKER and), 134
DUNLAP, A. A., 128
Dusts, fungicidal, for wheat bunt, 138
Dutch elm disease, incidence, European, 122
injuries as factors in infection, 140
pathogenicity of brown variant of organism of, 142
spore distribution in sap stream, 121
Dwarf disease, of alfalfa, insect transmission, 697
Dyes, aniline, brownpatch of turf controlled by, 136

EDDINS, A. H., 100
EDSON, H. A., 649
Eleagnus, wetwood bacterial disease of, 126
ELLIOTT, CHARLOTTE, 1181
and J. MONTEITH, Jr., 652
Elm, Ceratostomella ulmi on, brown variant isolated, 142
European incidence, 122
injuries as factors in infection, 140
spore distribution in sap stream, 121
wilt-fungus spores distributed by sap stream, 121
Chinese, Thyrostroma compactum from cankers on, 123
Elsinoë fawcetti, mycological history, 954
synonyms, 954
Elymus, Puccinia graminis susceptibility of spp., 1028
Emetic effects, of scabbed barley, relation to viability of Gibberella saubinetii, 759
Enzymes, of crowngall *vs.* normal tissue, 136
diastase, potato "blackheart" in relation to, 992
polyphenol oxidase, potato "blackheart" in relation to, 992
Epicoccum, on Asiatic chestnuts, 1151
Erechtites hieracifolia, Sclerotinia sclerotiorum on, 100
Eriobotrya, Phytophthora susceptibility, 1107
Errata, Phytopathology (Vol. 26), 665
ERWIN, L. E., 128
Erwinia (See also Bacillus)
amylovora (See also Fire blight; and hosts)
aerial strands, on infected hosts, 132 702
dissemination by wind, 708
epidemiology of infections, 852
growth in nectar and plant juices, 851, 852
number of cells for infection, 850
resistance to, maternal inheritance of pear-tree characters and, 861
pear breeding for, 131
variability, 1
phytophthora, delphinium stem rot due to, 855
Erysiphe graminis hordei, barley varietal reactions to new forms, 142
new form, resistance inheritance to, 141
physiologic races, new, 51
resistance of barley to, inheritance, 60
Etch, severe (See also Severe etch), 1152
virus(es), identification by serological field method, 725
classification, by serological reactions, 903, 906
Ethyl mercury phosphate, poisoning of maize by, cyto- and histo-pathology, 95
Eucalyptus, Phytophthora susceptibility, 1107
Experimental techniques (See Technique)
EYER, J. R., 956

Fabraea maculata, pear leaf blight due to, control by spraying, 960, 968
FELLOWS, HURLEY, 956
Fertilizers, effect on rust infection, 1097
Ficus, Phytophthora susceptibility, 1107
Field experiments, technique, 942
Fir trees (See Abies)

Fire blight (See also Erwinia amylovora; and hosts)
aerial bacterial strands on affected plant parts, 132, 702
apple, spraying for scab plus, 133
epidemiology, 852
number of bacteria for infection in apple and pear, 850, 851
pear, breeding for resistance, 131
resistance in pears, maternal inheritance of tree characters and, 861
Flax, fungi involved in "flax-sick" soil, 531
fungus parasites, as influenced by soils, 541
Fusarium lini infection and resistance factors, 544, 545
seedlings, fungus diseases, 515
Flowering plants, bulb and corm treatment, 143
injury to germinating seeds by galvanized trays, 868
seed treatment, for sand culture, 128
Flowers, alfalfa, drought and heat injury, 729
Foliage, yellowing in alfalfa, heat and drought in relation to, 729
Foot rot, white, of oats and wheat, Rhizoctonia causing, 798
Forest trees (See Trees) 127
FOSTER, ARTHUR C., 128
H. H., 803
Fraxinus, Phytophthora susceptibility, 1107
Frenching, citrus, grapefruit chlorosis in Puerto Rico resembling, 731
Frog-eye leaf spot, of apple, infection by Physalospora obtusa strains and factors influencing, 804
Fruit trees, rosette or little leaf of, etiology, critique and zinc therapy, 727
Fungi, antagonism among, 1175
taxonomic relationships and, 1176
associations, in apple rot, 126
on germinating seeds, inhibition by chemical treatments, 797
inheritance in, 643
intraspecific variability, 47
metabolism, of Phymatotrichum, 918
saltation in, book review, 736
single-spore isolation technique, 950
soil-borne, field distribution, 944
tree-rotting, culture necessary for identification, 127
Fungi, virus inactivation by, 1014
Fungicides, adjuvant-containing, copper content of residues from, 957
aniline dyes as, 136
apple fire-blight-scab control by, 133
apple-scab control by, 129, 133
Bordeaux mixture, effect on potatoes, 1032
bulb and corm treatment by, 143
copper, effect on tomato ripening, 132
cuprous oxide seed therapy for damping off, 565
for damping off in tree nurseries, 144
for downy mildews of hops and onion, 931
eradicant, apple-scab control by, 133
ethyl mercury phosphate poisoning of maize, 95
injury to apple by, 139
reduction, 126
mustard oils as, 142
for peach leaf curl, 110
in seed germination tests, 797
seed treatment for sand culture, 128
sulphur as, 141
for tobacco diseases, 124
for turf disease, 128
vapors of volatile organic substances as, 982
wheat-bunt control by, 138
wood-decay prevention by, 780
Fusarium, on Clarkia elegans, 952
cotton seedling infection by spp. of, 570, 571
damping off of mushrooms due to spp. of, 85
gladiolus corm rot due to, 137
-tomato wilt, varietal resistance, 956
conglutinans var. callistephi, host-parasite relations in resistant and susceptible varieties of China aster, 741, 744, 746
nature of resistance to, 747
lini, flax-seedling infection and resistance factors, 544, 545
lycopersici, tomato resistant to Verticillium albo-atrum and, 955
martii, damping off of mushrooms due to, 87
moniliforme, corn infected by, 854
heart rot of banana and abaca in relation to, 853
root-rot of red pine associated, 128
var. subglutinans, heart rot of banana and abaca in relation to, 853
oxysporum, damping off of mushrooms due to, 87
zonatum, onion bulb rot due to, control, 770
pathogenicity interrelations with Phoma terrestris, 766–769
onion strains resistant to, 770
Fusicoccum, on Asiatic chestnuts, 1144

Galls (See also Crown gall)
indoleacetic acid inducing secondary-type, 1110
GARDNER, F. E. (N. A. BROWN and), 1110
M. W., C. M. TOMPKINS, and H. R. THOMAS, 129
(C. M. TOMPKINS, ——, and H. R. THOMAS), 955
Genetic constitution, of host plant, effect on virulence of pathogen, 1070

Genetics, of disease resistance, 629
Geranium, bacterial leaf-spot of spp. of, 554
Germination tests, seed, chemical treatments for, 797
injury by galvanized trays, 867
Gibberella saubinetii, viability in barley kernels and relation to emetic effects, 751, 755, 758, 759
Gibellina cerealis, white foot rot of oats and wheat not due to, 799
GIDDINGS, N. J., 773
Gladiolus, basal dry rot of corms, Fusarium-induced, 137
Gliocladium, taxonomic comparison with Trichoderma, 1175, 1176
toxic substances to other fungi isolated from, 1175
Glomerella gossypii, damping off of cotton due to, 571
GLOYER, W. O., 129
GODFREY, G. H., and H. R. HAGAN, 515
GOLDSWORTHY, M. C. (E. L. GREEN and), 957
GOWEN, J. W. (W. C. PRICE and), 267
Granville tobacco wilt (See Bacterium solanacearum)
Grapefruit, chlorosis, alkaline soils associated in Puerto Rico, 731
control in Puerto Rico by zinc sulphate sprays, 731
in Puerto Rico, comparisons, 731
Grasses, brownpatch, control by aniline dyes, 136
Corticium disease of, control and factors influencing, 128
effect on virulence of Phytomonas stewartii, 1082
Puccinia graminis infection, susceptibility of species and varieties, 1028
turf diseases, control by aniline dyes, 136
GRAVES, ARTHUR HARMOUNT, 129, 731
GREEN, E. L., and M. C. GOLDSWORTHY, 957
Green-cucumber-mosaic, effect on Turkish tobacco, 1152
GROSS, P. M. (R. MCLEAN, F. A. WOLF, F. R. DARKIS and), 982
Growth-accelerators, book review, 117
in crown gall, 134
secondary-type galls induced by, 1110
transfer through plant stem, 1113
GUPTA, S. N. DAS, 736

HAENSELER, C. M., 130
HAGAN, H. R. (G. H. GODFREY and), 515
Hakea, phytophthora susceptibility, 1107
HARRAR, J. G., 130
HARTLEY, CARL, and A. RATHBUN-GRAVATT, 159
(B. S. CRANDALL, ——, and R. W. DAVIDSON), 126
HARTZELL, ALBERT, 130
Hawkins, Stacy Otto, biographical sketch and bibliography, 1123
portrait, facing p. 1123
Heart-rot, of banana and abaca, 853
Heat, alfalfa foliage yellowing and floral injury in relation to, 729
forest nurseries injured by, 127
Helianthus tuberosus, leaf spot due to Phytomonas helianthi var. tuberosi, 948
Helminthosporium, on Clarkia elegans, 952
flax seedling infection by spp. of, 532
turcicum, black ear rot of maize due to, 207
Hemlock, Rosellinia leaf and twig disease, 305
HENDERSON, R. G., 130, 659
W. J. (G. N. DAVIS and), 763
HENSON, LAWRENCE, and W. D. VALLEAU, 913
HEPTING, GEORGE H., and R. W. DAVIDSON, 305
Heterodera marioni, feeding mechanism in roots and nutrient solutions, 824
on pineapple, injurious effects, statistics, 515
Heterosporium, as imperfect stage of Didymellina poecilospora, 135
Hicoria (See also Carya)
bunch disease of spp. of, general study, 604
HIGGINS, B. B., and F. A. WOLF, 690
HILBORN, M. T., 1177
HILDEBRAND, E. M., 850
and S. L. HSIONG, 131
(S. L. HSIONG and), 861
HILL, L. M. (C. R. ORTON and), 137
HIRT, RAY R., 104
Hoggan, Ismé Aldyth, biographical sketch and publications, 1029
necrology, 664
portrait, facing p., 1029
(J. Johnson and), 1014
Holcus lanatus, leaf infection by Rhizoctonia, 799
HOLMES, FRANCIS O., 131, 637
Honesty, black-ring virosis on, 956
HOPPERSTEAD, S. L. (H. W. ANDERSON, K. J. KADOW and), 575
Hops, downy mildew, fungicides for, 931
Hordeum, Puccinia graminis, susceptibility of spp., 1028
Hormodendron cladosporioides, on Clarkia elegans, 952
Hormones, growth (See Growth accelerators)
HORSFALL, JAMES G., R. O. MAGIE, and C. H. CUNNINGHAM, 132
Hosts, genetic constitution, effect on virulence of bacterial pathogens, 1070
Hot-water treatment, of seed for sand culture, 128

HSIONG, S. L., and E. M. HILDEBRAND, 861
(E. M. HILDEBRAND and), 131
HUMPHREY, H. B., 653
and F. A. COFFMAN, 183
HUTCHINS, LEE M. (L. C. COCHRAN and), 954
Hydrogen-ion concentration, effect on: club root, 130
damping off in tree nurseries, 144
white pine and its reactions to Polyporus schweinitzii, 1129, 1131
Hygiene, plant, review of book on, 1184
Hyphae, isolation of hyphal tips in Actinomyces, technique, 1182

Illinoia pisi, as vector of pea-mosaic virus-3, 717
IMLE, E. P., and R. W. SAMSON, 132
Immunity, from infection (See Resistance)
Incense cedar, crown gall on, 844
Inclusion bodies, motility, in peach yellows, host and vector, 130
in onion yellow dwarf, 1027
Stanley's crystalline mosaic virus in relation to, 122
Indoleacetic acid, galls of secondary type induced by, 1110
Infections, artificial *vs.* spontaneous, as showing host susceptibility, 140
control by resistant varieties, progress in, 622
rust, factors influencing, 1090
soil factors, in rye stem smut, 633
Inheritance, in fungi, 643
of resistance, to mosaic in Capsicum, 637
to potato blight, 1059
maternal, in pears, 861
Inoculation methods, Ustilago nigra on seed, 115
Insecticides, injury to apple by, 139
Insects as vectors, alfalfa dwarf, 697
pea-mosaic virus-2, by aphids, 589
pea-mosaic virus-3, 717
pea virus diseases, 253, 254, 589, 717
peach yellows, by Macropsis trimaculata, inclusions motile in, 130
reference collections, 198
savoy of beet, by Piesma cinerea, 125
spotted wilt, by thrips, 129
vein-mosaic virus of red clover, by pea aphid, 1052, 1055
Iridaceae, bulb treatments for, 143
leaf disease, Bacterium tardicrescens causing, 135
Phytomonas tardicrescens causing, 613
bulbous, Didymellina poecilospora as semiparasite of, 135
Iron deficiency, in forest nurseries, 128
Isolation technique, for Actinomyces hyphal tips, 1182
for single spores, 950
IVANOFF, S. S., and G. W. KEITT, 132, 702

JENKINS, ANNA E., and A. A. BITANCOURT, 954
JENSEN, JAMES H., 69, 731
P. BOYSEN (See Boysen Jensen, P.)
JOHNSON, A. G., 654, 1184
JAMES, 1029
and ISMÉ A. HOGGAN, 1014
JONES, FRED REUEL, 729
Juglans, Phytophthora susceptibility, 1107
Juniperus, Phytophthora susceptibility, 1107

KADOW, K. J. (H. W. ANDERSON, ——, and S. L. HOPPERSTEAD), 575
KEITT, G. W., and J. B. CARPENTER, 133
(S. S. IVANOFF and), 132, 702
and D. H. PALMITER, 133
(D. H. PALMITER and), 133
KENT, G. C., 871
KAUFERT, FRANK, and H. SCHMITZ, 780
KIENHOLZ, J. R., 950
KINSEL, KATHERINE, 1119
KIRBY, R. S., 653
KOTILA, J. E. (G. H. COONS, ——, and DEWEY STEWART), 125
KREIS, HANS A., 667
KREUTZER, W. A., 955

Laboratory technique (See Technique)
Lactuca scariola, Phytomonas lactucae-scariolae parasitizing leaves, 109
Larix, spp., hosts of Polyporus schweinitzii, 30
LARSON, R. H. (J. C. WALKER and), 142
Latent-mosaic, effect on Turkish tobacco, 1152
LATHAM, D. H. (W. C. DAVIS, ——, and G. Y. YOUNG, 127
(G. Y. YOUNG, W. C. DAVIS and), 144
Lathyrus odoratus, vein mosaic of red clover in, 1051
LEACH, L. D., 953, 955
J. G. (Chairman) *et al.*, 658
Leaf blight, pear, control by spraying, 960, 968
Leaf blotch, peony, 172
Leaf curl, peach, control by fall-applied fungicides, 110
Leaf disease, Rosellinia causing on hemlock, 305
Leaf roll, potato, breeding for resistance, 196
Leaf spots, geranium, bacterial, 554
Phytomonas spp. causing, 946
rough-lemon, Alternaria citri strain causing, 863
Septoria spp. causing, on Rubus, 1000
tobacco angular-, wildfire compared, 283
LECLERG, E. L., 942
Legumes, mosaic, pea virus-3 infecting spp. of, 714
virus diseases in Idaho, 836

LEHMAN, S. G., 133
Lemon, rough, leaf-spot due to Alternaria citri strain, 863
Lentinus lepideus, wood decay by, as influenced by arsenic, zinc, and copper compounds, 783
Lenzites trabea, wood decay by, as influenced by arsenic, zinc, and copper compounds, 783
LEONIAN, LEON H., 117, 736
LESLEY, J. M. (M. SHAPOVALOV and), 955
Lettuce (See also Lactuca)
  Sclerotinia sclerotiorum infection, livestock in relation to control, 1045
  wild (See also Lactuca scariola), 109
LEVINE, MICHAEL, 134
LEWIS, ESTHER A., 951
Libocedrus decurrens, crown gall on, 844
Light, effect on rust infection, 1095
Lightning, cabbage injury by, 858
Liliaceae, bulb treatments for, 143
Lilium longiflorum, mosaic virus, classification, 138
Lily, mosaic virus, classification, 138, 561
Lime sulphur, apple-scab control by, 129
  rosin-, as fungicide for downy mildews, 938
LINFORD, M. B., 824
LING, LEE, and M. B. MOORE, 633
Little-leaf, fruit tree, etiology, critique, 727
  zinc therapy, 727
  pecan, bunch disease compared, 125, 606
Livestock, sclerotium viability in alimentary tract, 1045
LOCKE, S. B., A. J. RIKER, and B. M. DUGGAR, 134
Locust tree, black, Phytophthora on, 128
LOJKIN, MARY, 134
LORING, H. S., and W. M. STANLEY, 134
Lupine, white (See Lupinus albus)
Lupinus albus, virus diseases of, in Idaho, 841

McCARTER, JANET, and E. L. TATUM, 865
McCULLOCH, LUCIA, 135
McDONOUGH, E. S., 311
McFADDEN, E. S., 801
McLEAN, RUTH, F. A. WOLF, F. R. DARKIS, and P. M. GROSS, 982
McNEW, GEORGE L., 135, 1161
McWHORTER, FRANK P., 135, 1027
Macrophoma, on Asiatic chestnuts, 1144
Macropsis trimaculata, as vector of peach yellows, inclusions motile in, 130
Macrosiphum gei, as vector of pea-mosaic viruses, 589
  pisi, as vector of pea-mosaic viruses, 253, 254, 589
MADER, E. O., and M. T. MADER, 1032
  and E. C. UDEY, 112
  MARY T. (E. O. MADER and), 1032
MAGIE, R. O. (J. G. HORSFALL, ——, and C. H. CUNNINGHAM), 132
Maize, bacterial wilt (See also Bacterium stewarti; Phytomonas stewartii)
  factors influencing virulence, 1070
  host-parasite relations, 1163, 1164, 1169
  variants of the causal organism of, 1161
  disease control by resistant varieties, 624
  Fusarium moniliforme infecting, 854
  Helminthosporium ear rot, 207
  Phytomonas stewartii passage in resistant *vs.* susceptible strains, effect on virulence, 1070
  poisoning of seedlings by ethyl mercury phosphate, cyto- and histo-pathology, 95
Maple (See Acer), 1177
Marguerite, crown gall of, bacteriophage from, 890
Marigold, wilt, Phytophthora-induced, 138
MARTIN, WILLIAM H. (R. H. DAINES and), 126
Masked-tobacco mosaic, effect on Turkish tobacco, 1152
MATHUR, P. B. (B. N. SINGH and), 992
MAY, CURTIS (J. M. WALTER and), 142
MAYER, L. S. (C. E. SHERBAKOFF and), 207
Mealy bug, pineapple wilt due to, toxic dosage for, 971
Media, culture (See Technique)
Medicago lupulina, virus diseases in Idaho, 841
Melilotus alba, vein mosaic of red clover in, 1051
  virus diseases in Idaho, 837
Mercurials, organic, in seed germination tests, 797
Mercury, metallic, in club-root control, 130
Merko, in seed germination tests, 797
MEULI, LLOYD J., 172
Microorganisms, virus inactivation by, 1014
MILBRATH, J. A., 868
Mildew, barley powdery- (See also Erysiphe graminis hordei), 51
  resistance inheritance to new form, 141
  varietal reactions to new forms, 142
  tobacco downy, control in beds, 124
  control by vapors of organic substances, 982
  histology of infection and sporulation, 131
  peach frosty, distribution and symptoms and etiology, 690
MILLER, H. J. (A. B. BURRELL and), 123
Millet, Sclerospora graminicola infection, primary, 311
Molds, on germinating seeds, inhibition by chemical treatment, 797
Mono-chlorobenzene, tobacco downy mildew control by vapor of, 983, 989
MONTEITH, JOHN, JR., 136
  (C. ELLIOTT and), 652

MOORE, ELIZABETH JANE, 918
M. B. (L. LING and), 633
Morus, wetwood bacterial disease of, 126
Mosaic(s), alfalfa, relation to pea streak, 144
aucuba, effect on Turkish tobacco, 1152
cabbage, increased severity, 142
cauliflower, increased severity, 142
classification, by serological reactions, 725, 903
comparative effects of several, on Turkish tobacco, 1152
cotton disease resembling, 136
cucumber, lily mosaic related, 138, 567
in Puerto Rico, 125
transmission to lily, 562
field method of identifying, technique and applications, 725, 909
garden-pea, 248, 249, 250
control, 715, 720
host range, 257
insect vectors, 253, 254
symptoms and differentiation, 711, 720
insects as vectors, 253, 589, 717, 1052, 1055
of legumes in Idaho, 836
lily, susceptible hosts, 138
virus classification, 138, 561
pea-virus-2, aphid transmission, 589
host range, 591
pea-virus-3, differentiation, 711–721
host range, 714
insect transmission, 717
overwintering hosts, 719
properties, 718
seed transmission negative, 717
varietal susceptibility, 715
peach, control, 954
host relations, 954
maynard plum as carrier, 954
potato, breeding for resistance, 191, 192, 193
red-clover vein-mosaic, description, hosts, transmission, and factors influencing, 1051
streak virus, seed transmission in tomato, 800
symptoms like, in peas, 252
tobacco, infection by contaminated soil, 133
in solanaceous plants, inheritance of resistance to, in pepper, 637
in solanaceous plants, hereditary factors affecting, 131
virus, inactivation by ascorbic acid, 134
inactivation by ultraviolet rays, 267
proteins of ordinary *vs.* single-lesion, 134
tobacco, virus, proteins *vs.* intracellular crystalline deposits in Turkish, 1158
Stanley's crystalline, inclusion-body relations, 122
strains compared, properties and effects, 69
virus-1, inactivation by microorganisms, 1014
seed transmission in tomato, 800
yellow strain, nutrition effect on systemic course, 140
tomato, seed transmission, 868
vitamin-C in tomatoes normal and with, 134
Mottle leaf, citrus, grapefruit chlorosis in Puerto Rico resembling, 731
Mucor spp., on Clarkia elegans, 952
MUNN, M. T., W. F. CROSIER, S. R. PATRICK and, 867
MURPHY, DONALD M., and W. H. PIERCE, 710
Musa, heart rot of spp. of, etiology, 853
Mushrooms, damping-off, Fusarium spp. causing, 85
Mustard oils, fungicidal value, 142
Mycological technique, single-spore isolation, 950
Mycosphaerella persica n. sp., perfect stage of Cercosporella persica, 695
rosicola n. sp., rose leaf spot due to, 127
perfect stage of Cercospora rosicola, 127

NAGY, R., W. H. PETERSON, and A. J. RIKER, 136
NEAL, D. C., 136, 1171
Necrology, Ismé Aldyth Hoggan, 664
Necrosis, vascular sugar beet, Rhizoctonia causing, 955
NELSON, RAY, 137
Nematodes, cotton infestation, 569
effect on pineapple, statistics, 515
feeding mechanism in roots and nutrient solutions, 824
sweet-potato, genera infesting roots, 667
yam, hosts and symptoms of injuries, 865
Nematosis, sweet-potato, 667, 668, 678
Nicotiana, black-ring virosis on spp. of, 956
crown gall on spp. of, 134
spontaneous "tumors" on hybrid, 134
glutinosa, tobacco-mosaic virus strains compared on, 70
sylvestris, tobacco-mosaic virus strains compared on, 70
tabacum (See Tobacco)
Nitrates, Psyllid yellows of potato in relation to, 956
Nitrogen, deficiency, effect on white pine and its reactions to Polyporus schweinitzii, 1131
in forest nurseries, 128
protein, in Turkish tobacco as influenced by several virus diseases, 1152
supply, effect on Sclerotium rot of sugar beets, 126

Notholcus lanatus (See Holcus lanatus)
Nurseries, tree, damping-off control in, 144
diseases, 127
Nutrients, mineral, effect on rust infection, 1097–1099
Nutrition, plant, effect on virus disease, 140

Oak, basal decay of sprout-grown, Stereum gausapatum causing, 139
rot-inducing fungi, culture necessary for identification, 127
Oats, Puccinia graminis susceptibility of species, 1028
rusts, reactions of F_1 and parental lines to, 183
smuts, reactions of F_1 and parental lines to, 193
loose, sexual fusion and infection factors, 547
white foot rot of, Rhizoctonia causing, 798
Oils, volatile sulphur, fungicidal value, 142
Olea, Phytophthora susceptibility, 1107
Onion, bulb rot, control, 770
Fusarium zonatum causing, pathogenicity interrelations with Phoma terrestris, 766–769
resistant strains, 770
downy mildew of, fungicides for, 931
pink root, control, 770
Phoma terrestris causing, pathogenicity interrelations with Fusarium zonatum, 766–769
yellow dwarf, cell inclusions in, 1027
Oospora epilobii, on Clarkia elegans, 952
Ophiobolus cariceti, flax-seedling infection, 538
graminis, infected roots as carriers, 956
soil infestation, increase and spread, 956
Ophiobolus graminis, soil infestation, as influenced by climatic conditions, 956
Ornamentals, bulb and corm treatment, 143
ORTON, C. R., 657
and L. M. HILL, 137
OSBORN, H. T., 589, 1051
OWENS, O. P., 137
Oxygen, effect on virus inactivation by microorganisms, 1021
in metabolism of cotton root-rot fungus, 918
Ozonium omnivorum (See also Phymatotrichum omnivorum)
distribution, in Southwest U.S.A., 146
of root rot in Texas shelter-belt zone, 145
hosts, 147
susceptibility of shrub and tree species to, 148

PALMITER, D. H., and G. W. KEITT, 138
(G. W. KEITT and), 133
Pathogenicity, of fungi on flax as influenced by soils, 541
Pathogens, bacterial, as influenced by genetic constitution of hosts, 1070
serological differentiation, 572
soil-borne, field distribution, 944
PATRICK, STEWART (C. CROSIER, ——, and L. TAYLOR, 797
S. R. (W. F. CROSIER, ——, and M. T. MUNN), 867
Pea, aphid, as vector of vein-mosaic virus of red clover, 1052, 1055
garden, virus diseases of, 242
mosaic virus-1, on legumes in Idaho, 840, 843
mosaic-virus-2, aphid transmission, 589
host range, 591
mosaic virus-3, differentiation, 711–721
host range, 714
insect transmission, 717
on legumes in Idaho, 837, 840, 841, 842, 843
overwintering hosts, 719
properties, 718
seed transmission negative, 717
varietal susceptibility, 715
root-knot nematode feeding mechanism in roots of, 826, 831
streak, relation to alfalfa mosaic strains, 144
virus-1 infection, varietal reactions to, 1009
virus diseases, classification by serological reactions, 906
in Idaho, 840
varietal reactions, 254
Peach, frosty mildew, distribution, symptoms and etiology, 690
leaf curl, control by fall-applied fungicides, 110
mosaic, control, 954
host relations, 954
Maynard plum as carrier, 954
Peach, yellows, inclusions in host and insect vector, motility, 130
Pear, copper content of residues from adjuvant-containing fungicides on leaves, 957
fire blight, aerial bacterial strands on affected plant parts, 132, 702
number of bacteria for infection, 850, 851
inheritance of tree characters and fire-blight resistance in, 131, 861
leaf blight, control by spraying, 960, 968
Pecans, bunch disease, general study, 125, 604
transmission, 125, 610
PELTIER, GEORGE L., 145
Penicillium brevicaule, on Clarkia elegans, 952
expansum, Sclerotinia fructigena associated in apple rot, 126

Peony, Cladosporium leaf blotch, general study, 172
Pepper, tobacco mosaic on, resistance inheritance, 637
Peppermint, Verticillium wilt, 137
Peronospora arthuri, on Clarkia elegans, 952
destructor, fungicides for, 931
effusa, conidial germination, 124
tabacina, control, in beds, 124
by vapors of organic substances, 982
histology of infection and sporulation in tobacco, 131
Persea, Phytophthora susceptibility, 1107
PETERSON, W. H. (R. NAGY, ——, and A. J. RIKER), 136
Phaseolus vulgaris, rust resistance in, 1090
Phlox, noninfectious diseases, 143
perennial, noninfectious chlorosis in relation to blight, 143
Phoma, on Asiatic chestnuts, 1144
terrestris, onion pink root due to, control, 770
pathogenicity interrelations with Fusarium zonatum, 766–769
Phomopsis, twig blight of Asiatic chestnuts due to, general study, 1143
Phosphoric acid, crude, damping off in tree nurseries controlled by, 144
Phosphorus, deficiency, effect on: virus disease, 140
white pine and its reactions to Polyporus schweinitzii, 1131, 1134
in forest nurseries, 128
Photinia, Phytophthora susceptibility, 1107
Phymatotrichum omnivorum (See also Ozonium omnivorum)
carbon and oxygen metabolism, 918
control of root rot due to, 956
invasion of cotton roots in culture, 143
"spore mats" of, significance, 588
Physalospora obtusa, incubation period, 813
pathogenicity of strains for leaf *vs.* fruit and factors influencing, 803
penetration mechanism, 817
pycnidium production, 815
susceptibility to, varietal comparisons, 808, 816
Physiogenic diseases, apple, symptoms and terminology and boric-acid therapy, 123
Physiologic characters, of fungi, taxonomic relationships and, 1176
Physiologic races, Erysiphe graminis hordei, 51
Puccinia antirrhini, 113
Ustilago nigra, 115
Phytomonas (See also Bacterium; Pseudomonas)
cichorii, leaf spot of Cichorium intybus due to, 948
colurnae n. sp., leaf spot of Corylus colurna due to, 948
geranii n. sp., geranium leaf spot due to, 560
helianthi var. **tuberosi** n. var., leaf spot of Helianthus tuberosus due to, 948
lactucae-scariolae n. sp., comparison to P. pruni, 109
on Lactuca scaroiola leaves, 109
plantaginis n. sp., leaf spot of Plantago lanceolata due to, 947
polygoni n. sp. leaf spot of Polygonum convolvulus due to, 947
priority use of genus name for protozoan group, 1181
pruni, comparison to P. lactucae-scariolae, 947
stewarti[i], host-parasite relations, 1163, 1164, 1169
variants isolated from cultures of, 1164
virulence, factors influencing, 1161, 1166, 1169
as influenced by genetic constitution of host, 1070
tardicrescens, n. comb., iris blight due to, 620
tumefaciens, growth hormone in, 134
Phytopathology, disease control by resistant varieties, progress in, 622
review of book, 1184
plant hygiene, 1184
susceptibility, as shown by inoculation *vs.* spontaneous infection, 140
Phytophthora, black locust tree infection, 128
flax-seedling infection, 539
marigold wilt due to, 138
cactorum, hosts inoculable with, 1106
capsici, cucumber fruit rot due to (?), 955
citrophthora, hosts inoculable with, 1106
infestans, potato breeding for resistance to, 211, 1059
susceptibility of potato varieties and species to, 211
Picea spp., hosts of Polyporus schweinitzii, 30
PIERCE, W. H., 836
(D. M. MURPHY and), 710
Piesma cinerea, as vector of savoy of beets, 125
Pine, white (See Pinus strobus), 1124
needle droop of red-, 127
root rot of red-, Fusarium moniliforme associated, 128
Pineapple, mealy-bug wilt, toxic dosage for, 971
root-knot nematode on, injurious effects, statistics, 515
Pink root, onion (See Phoma terrestris)
Pinus, hosts of Polyporus schweinitzii, 30
Phytophthora susceptibility, 1107
strobus, metabolism in relation to calcium, phosphorus, nitrogen and pH, 1131, 1134
Polyporus schweinitzii parasitizing seedlings directly, 1124

root rot due to Polyporus schweinitzii, 29
sand-nutrient culture studies, 1127, 1129, 1131
PIRONE, P. P., 138
Pisum sativum, common mosaic of, general study, 710
pea-streak virus-1 infection, varietal reactions to, 1009
root-knot nematode feeding mechanism in roots of, 826, 831
vein mosaic of red clover in, 1051
virus diseases, 242
insect vectors, 253, 254
var. arvense, vein-mosaic of red clover in, 1051
Plant diseases, review of book, 1184
on plant hygiene, 1184
Plant hygiene, review of book on, 1184
Plantago lanceolata, leaf spot due to Phytomonas plantaginis, 947
Plants, growth accelerator in, book review, 117
Plants, viruses of, serology limitations, 124
Plants, yields as influenced by diseases, 159
Plasmodiophora brassicae, control, 130
resistance to, as influenced by mustard oil, 142
Platanus, wetwood bacterial disease of, 126
Pleospora herbarum, on Clarkia elegans, 952
Plum, Maynard, as peach-mosaic carrier, 954
Poa bulbosa, Puccinia graminis susceptibility, 1028
Poisoning, ethyl-mercury phosphate, in maize, 95
Polygonum convolvulus, leaf spot due to Phytomonas polygoni, 947
Polyporus anceps, wood decay by, as influenced by arsenic, zinc, and copper compounds, 783
compactus, oak rot due to, 127
glomeratus, maple rot due to, 127
schweinitzii, effect on: calcium metabolism of white pine, 1134
tree nursery stock and natural reproduction, 1139
host-parasite relations on white pine, 1135
hosts and effects, 29
Polyporus schweinitzii, monosporous and polysporus mycelia, 43
physiological study, 1137
Pinus strobus seedlings directly parasitized by, 1124
variability, 29
virulence of strains compared, 41
Populus, Phytophthora susceptibility, 1107
wetwood bacterial disease of spp. of, 126
Poria andersonii, oak rot due to, 127
Portraits, Hawkins, Stacy Otto, facing p. 1123
Hoggan, Ismé Aldyth, facing p. 1029
POST, THELMA B. (F. WEISS and), 143
Potassium, deficiency, effect on virus disease, 140
Potato, bacterial wilt and soft rot, new, 106
as bacteriological medium, variable properties, 865
"blackheart," enzyme depletion in relation to, 992
blooming, as influenced by: Bordeaux mixture, 1033
pyrethrum dust, 112
Bordeaux mixture as affecting yield, tuber composition and scab control, 1032
foliage weight, as affected by Bordeaux mixture, 1033
latent mosaic, identification by serological field method, 725
new disease (cause unknown), 137
Phytophthora infestans infection, breeding for resistance, 211, 1059
Potato, varietal and species susceptibility, 211
Psyllid yellows of, carbohydrates and nitrate nitrogen in relation to, 956
rot, Sclerotinia sclerotiorum causing, 100
scab, Actinomyces from soil *vs.*, 141
control by Bordeaux mixture, 1032
isolation technique for single hyphal tips of organism of, 1183
tuber content of nitrogen, copper, and carbohydrates, as influenced by Bordeaux mixture, 1035–1039
tuber weight, as affected by Bordeaux mixture, 1035, 1040
veinbanding virus, identification by serological field method, 725
virus diseases, breeding for resistance, 190
classification by serological reactions, 903, 905, 906, 907
wilting, as influenced by Bordeaux mixture, 1034
Precipitin tests, on plant viruses, 903
Preservatives, wood, 780
PRESLEY, JOHN T., and C. THOM, 588
PRICE, W. C., 138, 561
and J. W. GOWEN, 267
Prosopis, wetwood bacterial disease of, 126
Proteins, metabolism in Turkish tobacco as influenced by several viruses, 1152
of tobacco-mosaic forms compared, 134
Protozoa, Phytomonas genus name previously used for flagellate group, 1181
Prunus, Phytophthora susceptibility, 1107
wetwood bacterial disease of, 126
Pseudococcus brevipes, pineapple wilt due to, toxic dosage for, 971
Pseudomonas (See also Bacterium; Phytomonas)
tumefaciens, bacteriophage for, isolation and location in plant, 875, 889
properties, 877, 886, 889
purification, 883

cross inoculations with incense cedar strain, 845–847
incense cedar infected by, 844
Pseudoperonospora humuli, fungicides for, 931
Pseudosclerotia, of Xylaria polymorpha, 1177, 1179
Pseudotsuga taxifolia, Polyporus schweinitzii on, 30
Psidium, Phytophthora susceptibility, 1107
Psyllid yellows, of potato, carbohydrates and nitrate nitrogen in relation to, 956
Puccinia antirrhini, physiologic races, 113
clarkiae, on Clarkia elegans, 952
coronata avenae, reactions of F_1 oats and parental lines to, 183
graminis, susceptibility of grass species and varieties to spontaneous infection, 1028
avenae, reactions of F_1 oats and parental lines to, 183
tritici, false "black chaff" due to, in Hope and H–44 wheats, 801
Puccinia graminis tritici, wheat breeding for resistance to, identification of mature-plant type of resistance, 801
Pyrethrum, effect on potato blooming, 112
Peronospora sclerotiorum parasitizing, 124
Pyrus, Phytophthora susceptibility, 1107
Pythium, flax-seedling infection, 529
rice root rot due to, 139
debaryanum, on Clarkia elegans, 952

Quercus, basal decay of sprout-grown, 139
Phytophthora susceptibility, 1107
wetwood bacterial disease, 126

Radicula obtusa, Sclerotinia sclerotiorum on, 100
Radish, Chinese, black-ring virosis, 956
RALEIGH, W. P. (E. S. SCHULTZ, C. F. CLARK, ——, F. J. STEVENSON, R. BONDE, and J. H. BEAUMONT), 190
Raspberry, leaf spot, Septoria, 1000
RATHBUN-GRAVATT, ANNIE (C. HARTLEY and), 159
Red clover (See Trifolium pratense)
REDDICK, DONALD, 655
REDDY, C. S., 658
Rehmiellopsis bohemica, Abies spp. resistant to, 736
distribution and new hosts, 734
REINKING, OTTO A., 853, 1184
Report, Annual Meeting, American Phytopathological Society, 646
Pacific Division, 646
Research, plant-disease, review of book on, 1184
Resistance, disease (See also under Breeding, specific hosts, etc.)
degree essential in wheat for bunt, 313
effect on bacterial pathogen, 1070
evolutionary relations, 629
—, greenhouse test for, in sugar-beet curly top, 773
flax wilt, 544, 545
—, inheritance, 60, 131, 141, 637, 861
inoculation *vs.* spontaneous infection as showing, 140
—, nature, 631
in Fusarium wilt of China aster, 747
onion, to Fusarium zonatum, 770
potato breeding for, 1059
—, rust, in garden bean, 1090
and susceptibility of plant species and varieties, 1003, 1007, 1009, 1028
tomato wilts, 955
Resistant varieties, disease control by, 624, 626
progress in, 622
Review, book, growth accelerators, 117
plant diseases, 1184
plant hygiene, 1184
saltation in fungi, 736
tobacco diseases and decays, 208
Rhizoctonia, flax seedling infection by spp. of, 536
leaf infection in cereals and velvet grass, 799
sugar beet damping off and vascular infection by, 955
white foot rot of oats and wheat by, 798
bataticola, Sclerotium bataticola preferred to, 913
solani, late canker root rot of sugar beets by, 1180
turf infection controlled by aniline dyes, 136
Rhubarb, black-ring virosis on, 956
Ribes, Cronartium ribicola aeciospore infection, temperature relations, 104
Rice, Cercospora oryzae infection, control by resistant varieties, 1007, 1008
in U. S. A., 1005
root rot, Pythium-induced, 139
RIKER, A. J., and R. S. RIKER, 1184
(S. B. LOCKE, ——, and B. M. DUGGAR), 134
(R. NAGY, W. H. PETERSON and), 136
REGINA, S. (A. J. RIKER and), 1184
Ring spot, effect on Turkish tobacco, 1152
tobacco, host range, 257
tomato virus of type of, 132
Robinia pseudoacacia, Phytophthora on, 128
RODENHISER, H. A., 643
Root-knot nematode (See also Nematodes; and specific names)
effect on pineapple, statistics, 515
feeding mechanism in roots and nutrient solutions, 824
Root rot (See also Ozonium; Phymatotrichum; and specific hosts)
cotton, metabolism of causal fungus, 918

Ozonium, distribution in Texas shelter-belt zone, 145
Phymatotrichum, control, 956
red-pine, Fusarium moniliforme associated, 128
rice, Pythium-induced, 139
sugar beet, Rhizoctonia solani causing, 1180
Roots, blackening, in red clover, 913
decay in white pine by Polyporus schweinitzii, 1129–1134
Rosa, Phytophthora susceptibility of spp. of, 1107
Rose, Cercospora puderii on, 127
leaf spot, Mycosphaerella rosicola causing, 127
Rosellinia herpotrichioides n. sp., leaf and twig disease of hemlock due to, 307
Rosette, apple, boric-acid therapy, 123
symptoms and relationships, 123
fruit tree, etiology, critique, 727
zinc therapy, 727
pecan, bunch disease compared, 125, 606
Rosin, and lime sulphur, as fungicide for downy mildews, 938
ROTH, ELMER R. (B. SLEETH and), 139
Rots, apple, fungus association in, 126
Physalospora obtusa causing black, 819
spongy dry, environal effects, 203
basal, in oaks of sprout origin, 139
cucumber-fruit, by Phytophthora, 955
delphinium-stem, 855
gladiolus-corm, Fusarium-induced, 137
heart, of banana and abaca, 853
maize black ear, 207
potato, new bacterial soft, 106
Sclerotinia, 100
root, Ozonium, distribution in Texas shelter-belt zone, 145
Phymatotrichum, control, 956
Pythium-induced of rice, 139
root and root-crown on white pine, by Polyporus schweinitzii, 1129–1134
sugar beet, Sclerotium injury as influenced by nitrogen supply, 126
late canker root rot, Rhizoctonia solani causing, 1180
tomato blossom-end, environal factors in, 128
tree, diagnosis, culture necessary for, 127
wood, fungus induced, as influenced by arsenic, zinc, and copper compounds, 783
Rotylenchus bradys, hosts and symptoms of injuries, 865
Rough lemon, leaf spot due to Alternaria citri strain, 863
Rubus, leaf spots, Septoria, in U. S. A., 1000
susceptibility of varieties and species compared, 1003
RUEHLE, GEO. D., 863
Rusts, garden-bean, resistance to, 1090
grass, susceptibility of species and varieties, 1028
oat, reactions of F_1 and parental lines to, 183
wheat breeding for resistance, identification of mature-plant type of resistance, 801
Rye, stem-smut, as influenced by soil temperature and moisture, 633
RYKER, T. C., 139

Salix, wetwood bacterial disease of, 126
Saltation, in fungi, book review, 736
Sanoseed, in seed germination tests, 797
Sap, fungus-spore distribution in vascular system by, 121
SAMSON, R. W. (E. P. IMLE and), 132
Sand culture, seed treatments for, 128
SASS, JOHN E., 95
Savoy disease, of beet, virus-induced and insect transmitted, 125
Scab, apple, control, 129
eradicant fungicidal methods, 133
spraying for fire-blight plus, 133
barley, viability of Gibberella saubinetii in kernels and relation to emetic effects, 751, 755, 758, 759
citrus, mycological history of causal fungus, 954
Scab, potato, Actinomyces from soil *vs.*, 141
control by Bordeaux mixture, 1032
isolation of single hyphal tips of Actinomyces of, 1182
Schinus molle, crown gall on, 847
SCHMITZ, HENRY (F. KAUFERT and), 780
SCHNEIDERHAN, F. J., 139
SCHULTZ, E. S. (F. J. STEVENSON, ——, C. F. CLARK, L. CASH, and R. BONDE, 1059
C. F. CLARK, W. P. RALEIGH, F. J. STEVENSON, R. BONDE, and J. H. BEAUMONT, 190
Sclerospora graminicola, primary infection of Setaria italica, 311
Sclerotia (See also Pseudosclerotia), 1179
viability in alimentary tract of livestock, 1045
Sclerotinia fructigena, Penicillium expansum associated in apple rot, 126
sclerotiorum, hosts, 100
lettuce infection by, livestock in relation to control, 1045
potato rot due to, 100
pyrethrum parasitized by, 124
sclerotium viability in alimentary tract of livestock, 1045
Sclerotium bataticola, preferred to Rhizoctonia bataticola, 913
red clover seedling blight and root blackening due to, 913

fulvum, culture and morphological studies, 1117
saprophytic development on stems of wheat, Sisymbrium and Chenopodium, 1118
sclerotial association with snow, 1114
wheat blight due to, destructiveness, hosts, symptoms and factors influencing, 1113
rolfsii, sclerotial populations determined by soil analysis, 955
sugar-beet infection as influenced by nitrogen supply, 126
sugar beet losses by, prediction, 955
Seeds, fungus development on germinating, inhibition by chemical treatment, 797
germinating, injury by galvanized trays, 867
germination tests, chemical treatments for, 797
mosaic transmission by, in tomato, 868
Seeds, pea-mosaic virus-3 transmission negative, 717
Seed treatments, cuprous oxides, for damping-off, 575
specifications and precautions, 586, 587
maize-seedling injury by ethyl mercury phosphate, 95
for sand culture, 128
Semesan, in seed germination tests, 797
Septoria brevispora, new comb. for Septoria rubi var. brevispora, 1001, 1002
leaf-spot on Rubus spp. due to, 1001, 1002
phlogis, phlox chlorosis in relation to, 143
rubi, leaf spot on Rubus spp. due to, 1001
var. brevispora, synonym of Septoria brevispora, 1001, 1002
Serology, diagnostic, bacterial, 124, 290, 572
virus identification by, 722, 903
limitations, 124
Setaria italica, Sclerospora graminicola infection, primary, 311
Severe etch, effect on Turkish tobacco, 1152
SHANDS, R. G., 749
SHAPOVALOV, MICHAEL, and J. M. LESLEY, 955
Sheep, sclerotium viability in alimentary tract, 1045
SHERBAKOFF, C. D., and L. S. MAYER, 207
Shrubs, Ozonium root-rot susceptibility of species, 148
Phytophthora spp. susceptibility of, 1106
SIDOROV, F. F., 211
SINGH, B. N., and P. B. MATHUR, 992
Sisymbrium, Sclerotium fulvum developing saprophytically on stems, 1118
SLEETH, BAILEY, and E. R. ROTH, 139
SMITH, CLAYTON O., 844, 1106
FLOYD F., 198
T. E., 140
SMUCKER, S. J., 140
Smuts, barley, black loose, physiological races, inoculation method, 115
barley covered, seasonal cycle, 141
oat, loose, sexual fusion and infection factors, 547
oat, reactions of F_1 and parental lines to, 183
rye, stem, as influenced by soil temperature and moisture, 633
stinking (See Bunt)
Snapdragon, rust, physiologic races, 113
Soil, Actinomyces from scabbed potatoes *vs.*, 141
cotton crinkle leaf in relation to, 1171, 1175
effect on pathogenicity of flax fungi, 541
infestation, by Ophiobolus graminis, 956
moisture, effect on rye stem smut infection, 633
pathogens in, field distribution, 944
sclerotial populations determined by analysis, 955
temperature, effect on rye stem-smut infection, 633
virus contamination, tobacco mosaic in relation to, 133
Solanaceae, tobacco-mosaic disease in, hereditary factors affecting, 131
Solanum, Phytophthora infestans infection in, breeding for resistance to, 211
varietal and species susceptibility, 211
Soreshin, cotton, fungus *vs.* nematode rôle in, 569
Sorghum, effect on virulence of Phytomonas stewartii, 1082
SPENCER, ERNEST L., 140
Sphaceloma fawcetti, relationship to Elsinoë fawcetti, 954
Sphaceloth eca, inheritance in, 643
chlamydospore echinulation, 643
physiologic race, pathogenicity of new, 643
Sphaeropsis, on Asiatic chestnuts, 1144
malorum (See also Physalospora obtusa) 803
Spinach, black-ring virosis on, 956
Peronospora effusa on, conidial germination, 124
Spindle-tuber, potato, breeding for resistance, 195
Spores, isolation of single, 950
wilt-fungus, distribution by sap stream in elm, 121
Spotted wilt, virus, factors influencing prevalence, 129
SPRAGUE, RODERICK, 798
Spray injury, apple, factors in, 139
Bordeaux, reduction, 126
Spray residues, copper content from adjuvant-containing fungicides, 957
STAKMAN, E. C. (Chairman) *et al.*, 654

STANLEY, W. M., 1152
(H. S. LORING and), 134
STEINER, G., 865
Stellaria media, black-ring virosis on, 956
Stem rot, delphinium, 855
Stereum gausapatum, basal rot of sprout-grown oaks due to, 139
oak rot due to, 127
murrayi, birch rot due to, 127
STEVENSON, F. J., E. S. SCHULTZ, C. F. CLARK, L. CASH, and R. BONDE, 1059
(E. S. SCHULTZ, C. F. CLARK, W. P. RALEIGH, ——, R. BONDE, and J. H. BEAUMONT), 190
STEWART, DEWEY (G. H. COONS, J. E. KOTILA and), 125
Stinking smut (See Bunt)
Stock, black-ring virosis on, 956
Streak disease, pea, relation to alfalfa mosaic strains, 144
seed transmission of virus in tomato, 800
STREETS, R. B., 956
STUBBS, MERL W., 242
Sugar beet, crown gall, bacteriophage from, 890
curly top, on legumes, in Idaho, 841, 843
resistance to, greenhouse test for, 773
damping off, experimental designs compared for study of, 942
disease control by resistant varieties, 626
Rhizoctonia solani causing late canker root rot in, 1180
Sclerotium rolfsii on, as influenced by nitrogen supply, 126
prediction of losses by, 955
vascular rhizoctoniosis, 955
Sugar cane, disease control by resistant varieties, 626
Sugars, in metabolism of Diplodia spp., 1119
Sulphur, fungicidal properties, 141
volatile oils, fungicidal value, 142
Sulphuric acid, cotton-seed delinting and therapy by, 122
Sunscald, of tulip flowers, 731
varieties susceptible and resistant, 734
Susceptibility, disease- (See also under Resistance)
inoculation *vs.* spontaneous infection as showing, 140
Sweet clover, virus diseased in Idaho, 837
Sweet potato, Anguillulina dipsaci infesting, 667
nematode genera infesting, 667
nematosis, control, 678
distribution, 667, 668
Synchytrium fulgens, on Clarkia elegans, 952

Tabebuia pallida, witches'-broom of, virus-induced, 125
Tagetes erecta, wilt due to Phytophthora in, 138
Take-all, wheat, dissemination and factors influencing, 956
Taphrina deformans, control by fall-applied fungicides, 110
TAPKE, V. F., 115, 141
TATUM, E. L. (J. MCCARTER and), 865
TAUBENHAUS, J. J., 141
Taxonomic relationships, of fungi, physiological characters and, 1176
Taxonomy, bacterial, Phytomonas genus name previously used for protozoan group, 1181
TAYLOR, C. F., 141
LLOYD (C. CROSIER, S. PATRICK and), 797
Technique, agar plates, pouring and washing apparatus, 121
culture media, bacteriological, variable properties of potato in, 865
for Diplodia spp., 1119
inoculation, for Ustilago nigra on seed, 115
isolation, of Actinomyces hyphal tips, 1182
of single fungus spores, 950
for mosaic disease identification, 725, 903, 909
for sugar-beet damping-off studies, 942
Temperature, effect on rust infection, 1093
soil, effect on rye stem-smut infection, 633
Teosinte, effect on virulence of Phytomonas stewartii, 1081
TERVET, IAN W., 531
Thermal death point, of virus of red-clover vein mosaic, 1054
Thielavia basicola, flax-seedling infection, 536
Thlaspi arvense, Sclerotium fulvum infecting, 1117
THOM, CHARLES (J. T. PRESLEY and), 588
THOMAS, H. EARL, 727
H. REX (M. W. GARDNER, C. M. TOMPKINS and), 129
(C. M. TOMPKINS, M. W. GARDNER and), 955
THORNBERRY, H. H., and H. W. ANDERSON, 109
Thrips, as vector of spotted-wilt virus, 129
Thuja, nonsusceptibility to Phytophthora spp., 1107
plicata, host of Polyporus schweinitzii, 30
Thyrstroma compactum, cultural characters, 123
TIDD, JOSEPH S., 51, 141, 142
Tilletia (See also Bunt)
tritici, resistance to, degree essential, 313
TISDALE, W. B., 1123
Tobacco (See also Nicotiana)
angular leaf spot and wildfire compared, 283
black-ring virosis on, 956
diseases and decays, book review, 208
downy mildew, control, in beds, 124
by vapors of organic substances, 982

histology of infection and sporulation, 131
Granville wilt, 140
mosaic, effect on Turkish tobacco, 1152
infection by contaminated soil, 133
inheritance of resistance to, in pepper, 637
lily virus infecting, 563
in solanaceous plants, hereditary factors affecting, 131
virus, identification by serological field method, 725
inactivation by ascorbic acid, 134
inactivation by ultraviolet rays, 267
proteins of ordinary *vs.* single-lesion, 134
Stanley's crystalline, inclusion-body relations, 122
strains compared as to properties and effects, 69
virus-1, inactivation by microorganisms, 1014
seed transmission in tomato, 800
yellow strain, nutrition effect on systemic course, 140
protein metabolism of Turkish, as influenced by several viruses, 1152
ring spot, effect on Turkish tobacco, 1152
host range, 257
virus, identification by serological field method, 725
peas infected by, 250
Turkish, effects of several viruses on, 1152
virus protein *vs.* intracellular crystalline deposits in virus diseases of, 1158
viruses of, classification, by serological reactions, 904, 905, 907
identification by serological field method, 725
wildfire, angular leaf spot compared, 283
cell changes in "halo" *vs.* "epidemic" forms, 792
control, in beds, 124
pathogenesis in "halo" *vs.* "epidemic" forms, 792
Tomato, blossom-end rot, compared to "puff," 128
environal factors in, 128
crown gall of, bacteriophage from, 890
Fusarium wilt, varietal resistance, 956
injury to germinating seeds by galvanized trays, 867
mosaic, seed transmission, 800, 868
pockets or puffs, environal factors in, 128
ring-spot type virus of, general study and hosts, 132
ripening, as influenced by copper sprays, 132
vitamin-C in mosaicked *vs.* healthy, 134
wilt diseases, variety resistant to, 955
TOMPKINS, C. M., M. W. GARDNER, and H. R. THOMAS, 955
(M. W. GARDNER, ——, and H. R. THOMAS), 129
Toxic substances, isolation from fungi, 1175
Trametes serialis, wood decay by, as influenced by arsenic, zinc, and copper compounds, 783
Trays, germination-, seed injury by galvanized, 867
Trees, fruit, rosette or little leaf of, etiology, critique and zinc therapy, 727
nursery, damping-off control in, 144
diseases, 127
Ozonium root rot susceptibility of species, 148
Phytophthora spp., susceptibility of, 1106
rots, diagnosis, culture necessary for, 127
wetwood disease bacterially induced, 126
Trefoil, yellow, virus diseases in Idaho, 841
Trichoderma, taxonomic comparison with Gliocladium, 1175, 1176
toxic substances to other fungi isolated from, 1175
Trifolium, virus diseases of spp. in Idaho, 837, 841
hybridum, vein mosaic of red clover in, 1051
hybridum, virus diseases in Idaho, 841
incarnatum, vein mosaic of red clover in, 1051
pratense, seedling blight and root blackening, Sclerotium bataticola causing, 913
vein mosaic of, description, hosts, transmission and factors influencing, 1051
virus diseases, in Idaho, 837
repens, vein mosaic of red clover in, 1051
virus diseases of, in Idaho, 841
white-clover virus-1 on legumes in Idaho, 837, 840, 841
Tsuga, wetwood bacterial disease of, 126
canadensis, Rosellinia leaf and twig disease, 305
Tulip, sunscald of flowers, 731
varieties susceptible and resistant, 734
TULLIS, E. C., 1005
Tumors, plant (See also Crown gall; and Galls)
plant *vs.* animal, analogies, 1113
spontaneous, on Nicotiana hybrid, 134
Turf, brown-patch control by aniline dyes, 136
Corticium disease control and factors influencing, 128
diseases, control by aniline dyes, 136
Twig blight, of Asiatic chestnuts, 1143
fir, distribution and new hosts, 734
Twig disease, Rosellinia causing on hemlock, 305

UDEY, E. C. (E. O. MADER and), 112
ULLSTRUP, ARNOLD J., 737
Ulmus, Phytophthora susceptibility, 1107
wetwood bacterial disease of spp. of, 126

pumila, Thyrostroma compactum from cankers on, 123
Ultraviolet light, virus inactivation by, 267
Urocystis occulta, infection as influenced by soil temperature and moisture, 633
Uromyces appendiculatus, infection, factors influencing, 1093–1101
types in garden beans, 1091
resistance of garden bean, 1090
Ustilago avenae, reactions of F_1 oats and parental lines to, 183
sexual fusion in, 547
hordei, seasonal cycle, 141
levis, reactions of F_1 oats and parental lines to, 183
nigra, physiologic races, inoculation method for study, 115

VALLEAU, W. D., 208
(L. HENSON and), 913
Varieties, resistant plant, progress in disease control by, 622
Vascular system, fungus-spore distribution by sap in, 121
Vectors, insect (See Insects as vectors)
Vegetables, injury to germinating seeds by galvanized trays, 867
seed treatment, for sand culture, 128
Vein-mosaic, of red clover, description, hosts, transmission and factors influencing, 1051
Velvet grass, Rhizoctonia infecting leaves, 799
Venturia inaequalis (See also Scab, apple), 128, 133
infection by overwintered conidia, 129
Verticillium, wilt of peppermint due to, 137
albo-atrum, on Clarkia elegans, 952
tomato resistant to Fusarium lycopersici and, 955
Vicia faba, vein mosaic of red clover in, 1051
factors influencing in Phytomonas stewarti[i], 1161, 1166–1170
Virulence, relation to cultural characters in Phytomonas stewarti[i], 1169
Virus(es) (See also specific names and hosts)
bean virus-1 on legumes in Idaho, 841, 843
bean virus-2 on legumes in Idaho, 837, 840, 841, 842
black ring of crucifers, 955
bunch disease of pecan in relation to, 604
classification of plant, by serological reactions, 124, 903
comparative effects of several on Turkish tobacco, 1152
identification of plant-, serological field method, 722, 909
as influenced by plant nutrition, 140
insects as vectors, 125, 129, 130, 253, 254, 589, 697, 717, 1052, 1055
reference collections of, 198
of legumes in Idaho, 836, 837, 840, 841, 842, 843
lily mosaic, classification, 138, 561
onion yellow-dwarf cell inclusions, 1027
pea mosaic-2, aphid transmission, 589
pea streak-1, varietal reactions to, 1009
of peas, 242
insect vectors, 253, 254
peach mosaic, carrier of, 954
control, 954
host relations, 954
potato, breeding for resistance, 190
protein comparisons in tobacco mosaic forms, 134
ring-spot type of tomato, 132
seed transmission in tomato mosaic, 868
serology limitations for plant, 124
soil contamination, tobacco mosaic in relation to, 133
spotted wilt, factors influencing prevalence, 129
tobacco mosaic, inactivation by: ascorbic acid, 134
microorganisms, 1014
ultraviolet rays, 267
of Turkish tobacco, virus protein *vs.* intracellular crystalline deposits in, 1158
vein-mosaic of red clover, 1051
Witches' broom, of Tabebuia, 125
Vitamin-C, in mosaicked *vs.* healthy tomatoes, 134

WADE, B. L. (W. J. ZAUMEYER and), 1009
WALKER, J. C., 142, 858
and R. H. LARSON, 142
Wallflower, black-ring virosis on, 956
WALTER, JAMES M., and C. MAY, 142
Water, soil, effect on rye stem-smut infection, 633
Water cress, black-ring virosis, 956
WATERMAN, ALMA M., 734
WATKINS, G. M., 143
WEAN, ROBERT E., 1124
WEI, C. T., 1090
WEIMER, J. L., 697
WEINDLING, R., 1175
WEISS, FREEMAN, 143
and T. B. POST, 143
WELLHAUSEN, E. J., 1070
WESTERN, J. H., 547
Wetwood disease, of trees, bacterially induced, 126
Wheat, bunt, control by copper-lime-arsenite dusts, 138
resistance degree essential, 313
disease control by resistant varieties, 624
false "black chaff" of Hope and H-44, Puccinia graminis tritici causing, 801
rust-resistance breeding, identification of mature-plant type of resistance, 801
Sclerotium fulvum on, blight symptoms, destructiveness, hosts and factors influencing, 113
saprophytic on stubble, 1118

take-all, dissemination and factors influencing, 956
white foot rot of, Rhizoctonia causing, 798
WHETZEL, H. H., 654
White clover virus-1, on legumes, in Idaho, 837, 840, 841
White lupine, virus diseases in Idaho, 841
White pine (See Pinus strobus) 1124
White pine blister rust (See Cronartium ribicola)
WIEBE, G. A., and F. N. BRIGGS, 313
Wildfire, tobacco, angular leaf-spot compared, 283
cell changes and pathogenesis in "halo" *vs.* "epidemic" forms, 792
control in beds, 124
WILSON, E. E., 110
Wilt diseases, elm, fungus-spore distribution by sap stream, 121
Fusarium, of China aster, 737
of tomato, varietal resistance, 956
maize bacterial (See also Bacterium stewarti; Phytomonas stewartii)
factors influencing virulence, 1070
variants of causal organism, 1161
marigold, Phytophthora-induced, 138
mealy bug, of pineapple, 971
peppermint, Verticillium-induced, 137
potato, new bacterial, 106
Wilt, tobacco Granville, 140
tomato, variety resistant to, 955
Witches' broom, of Tabebuia pallida, virus-induced, 125
WOLF, FREDERICK A., 208
(B. B. HIGGINS and), 690
(R. F. MCLEAN, ——, F. R. DARKIS, and P. M. GROSS), 982
WOOD, F. C., 85
Wood, decay, fungus-induced, as influenced by arsenic, zinc, and copper compounds, 783
of heart- *vs.* sap-, by Polyporus schweinitzii, 41
preservatives, 780

Xylaria polymorpha, anatomy of black zone in red maple due to, 1177
pseudosclerotia formed by bladder cells of, 1177, 1179

Yam nematode, hosts and symptoms of injuries, 865
YARWOOD, CECIL E., 931, 1113
Yellow-cucumber-mosaic, effect on Turkish tobacco, 1152
Yellow dwarf, onion, cell inclusion in, 1027
Yellow trefoil, virus diseases in Idaho, 841
Yellowing, foliage, in alfalfa, heat and drought in relation to, 739
Yellows, peach, inclusions in host and insect vector, motility, 130
potato-Psyllid, carbohydrate and nitrate nitrogen relations, 956
Yields, plant, as influenced by diseases, 159
YOUNG, GEO. Y., W. C. DAVIS, and D. H. LATHAM, 144
(W. C. DAVIS, D. H. LATHAM and), 127
P. A., 956, 1028, 1113

ZAUMEYER, W. J., 144
and B. L. WADE, 1009
ZELLER, S. M., 1000
Zinc, effect on little leaf or rosette of fruit trees, 727
from galvanized trays, seed-germination injury by, 867
chloride, effect on fungus wood decay, 785
sulphate, citrus chlorosis therapy by spraying, 731
Zinnia, mosaic virus of lily infecting, 566